

A photograph of a modern, dark-colored garage door with horizontal panels, set within a light-colored concrete frame. The door is closed. The surrounding area includes a dark roof, a light-colored concrete wall, and a paved driveway. The text 'GARAGE doors' is overlaid on the image.

GARAGE doors

GATES | WINDOWS | DOORS | FENCES

Welcome to the world of garage doors by WIŚNIEWSKI


WIŚNIEWSKI garage doors combine a robust structure with timeless design, and your safety with utmost comfort. See how innovative technology makes life easier.

In the world of WIŚNIEWSKI garage doors, you will find solutions for any project. No matter what, you can be certain of their high quality and perfect tailoring to your needs.

WIŚNIEWSKI garage doors are energy-efficient and prevent heat loss. Searching for products for thermal efficiency improvement? WIŚNIEWSKI garage doors are the perfect choice.

5

up to 5 years
warranty



UniPro

guaranteed at least 25,000 cycles*

galvanized structure

40 mm **panel**

Up=0.48 W/m²K

rollers with bearings

-

-

-

-

* at least 20,000 for garage doors with extension springs



class:
standard



UniTherm

guaranteed at least 25,000 cycles

galvanized structure

INNOVO 60 mm **panel**

$U_p=0.33 \text{ W/m}^2\text{K}$

double rollers with bearings

flexible **panel joint** covers

double bottom gasket

-

-



class:
premium



PRIME

guaranteed at least 25,000 cycles

galvanized and
powder-coated **structure**

INNOVO 60 mm **panel**

$U_p=0.33 \text{ W/m}^2\text{K}$

double rollers with bearings

flexible **panel joint** covers

double-chamber bottom gasket

optical safety system and safety
system for mechanical elements

automatic operating units
for the smart home **as standard**



class:
exclusive

PRIME

Discover perfection in every detail. PRIME combines the highest level of safety, premium accessories, and broad customization options. It is a garage door just like your home - exceptional and unique.




RC2 anti-burglary
protection



Excellent **thermal insulation**
0.33 W/m²K



The highest
level of safety



At least **25,000 cycles**
for the garage door



The highest **aesthetics**
of workmanship

Safety

in the exclusive dimension



Class: **exclusive**



Energy
efficiency

PRIME is an exclusive new generation sectional garage door. Its design was based on the idea that every detail matters. Thanks to utmost attention to detail, you get a product that is one of a kind. Packed with exceptional solutions, unique elements, unequalled in terms of design and technology. The garage is no longer just a storage space – it is a part of your home you care for when choosing the PRIME garage door.



Safe and warm



Optical safety system



Safety system for mechanical elements



Double-lip gasket in the fascia panel



Circumferential gasket (double-lip)



Double-chamber bottom gasket



Top aluminium profile with a gasket

One of a kind: PRIME Black Edition.

A garage that's beautiful inside and out?
PRIME Black Edition is a unique garage door **with the inner part coated in black**, which can be combined with an almost unlimited number of colour variants of the front of the door. Utmost freedom of customization.



Discover more details on the PRIME garage door

UniTherm

A warm home is not just a guarantee of comfort in your daily life.
It also involves notable savings on heating bills.
Guaranteed with the warm UniTherm garage door.



At least **25,000 cycles**
for the garage door



Excellent **thermal insulation**
0.33 W/m²K



The highest
level of safety



RC2 anti-burglary
protection

A modern solution for the garage



class: **premium**



Energy
efficiency

UniTherm is a PREMIUM class garage door – designed with demanding energy-efficient and passive buildings in mind. The warm structure of the INNOVO panels will allow you to lower your heating bills – UniTherm is over 20% warmer than the market standard! With the UniTherm garage door, we recommend the MOTO or METRO drive unit – an ideal set for your home!

Long-lasting durability

– a spring system designed for 25,000 cycles.

Panel joint covers

– protection and elegance

The INNOVO 60 mm panel

makes it possible to obtain excellent heat transfer parameters.

Double bottom gasket

closely seated against the floor, protecting the garage from dirt and pollution, while limiting heat loss


Functionality and safety



Double rollers with bearings ensure quiet running of the garage door leaf.




Flexible panel joint seals increase tightness and conceal the hinges.




Overload safety device causes the garage door to automatically stop and reverse if it encounters an obstacle.



Photocells (optional) prevent uncontrolled movement of the door leaf if an obstacle is present within the clear passage.



Integrated spring break safety device. A guarantee of safety.



Safe panel shape prevents fingers from getting crushed.



INNOVO

unique structure of the panel with a thickness of 60 mm makes it possible to obtain excellent heat transfer parameters of the garage door.



Discover more details on the UniTherm garage door

UniPro

Combines precision manufacturing with a vast range of designs, structures, colours, and decorative motifs. This lets you match the UniPro garage doors to both modern buildings and traditional houses.




High **thermal insulation**
0.48 W/m²K



The highest
level of safety



RC2 anti-burglary
protection



At least **25,000 cycles**
for the garage door

The best as standard



class: **standard**

UniPro is a versatile garage door that will be a great choice for both stand-alone garages and those integrated with the building. Choose from five types of panel ribs, four structures, glazings, hundreds of colours, different framework types, and as many as 42 film coatings. Thanks to the simple and proven structure, it is reliable and easy to install, which will allow you to save a lot of time and money.



Energy
efficiency

Available in a manually-operated and automatic version

with the METRO Smart io, MOTO io or SPARK drive unit – choose a version that's best for you


Long-lasting durability

– structure made of high-quality galvanized steel sheet

40 mm thick panels with a polyurethane foam infill

Decorative motifs – offering garage door customization options

Quality you can trust



Double-lip circumferential gasket



Quiet guiding rollers with bearings – ensuring quiet running of the leaf.



Integrated spring break safety device. A guarantee of safety.



Cable break safety device – standard in garage doors with a surface of 9 m² or larger.



Overload safety device – causes the garage door to automatically stop if it encounters an obstacle.



Top panel tilt* – the kit makes it possible to tilt the top panel of the garage door without the need to lift the door.
*option

WICKET DOOR IN THE UniPro garage door

– an option enhancing garage functionality and guaranteeing daily comfort of use. An aesthetically finished wicket door is a functional solution for a garage without a side entrance door. You do not have to fully open the garage door to get inside. This translates into energy and time savings.

THE HORIZON PANEL

– one of the most interesting optional features for WIŚNIEWSKI garage doors.

The slender and very elegant glazing is an element enhancing the design of the garage door and at the same time, it serves a practical function, letting more light into the garage interior. This subtle feature now has a new variant: with LED lighting.



Discover more details on the UniPro garage door

Renovation solutions

perfection made to measure

Our aim is to make garages more modern, energy-efficient, and comfortable. Thanks to the renovation system, modern sectional garage doors from WIŚNIEWSKI can be installed in existing garage door openings – even in more challenging spaces – without a lintel or side jambs.



Renovation without limits.

- Special structure for installation if there is no lintel or side jambs
- Panel fascia levelling the surface of the walls
- A broad spectrum of solutions for various installation challenges
- Adaptable installation options with a cover in front of, behind or in the opening



Safety



Universal installation




Covers coated in the same colour as the garage door leaf – for a better visual effect.




More details on renovation solutions





Installation behind the opening –
cover behind the opening



Installation in the opening –
cover in the opening



Installation in the opening –
cover in front of the opening



UniPro SNP 2.0

a perfect renovation solution

The UniPro SNP 2.0 sectional garage door is intended for buildings with a low lintel, where there is not enough space under the ceiling, as well as for garages with a narrow side clearance, where the installation of standard solutions is impossible.

Reliable structure and control

- The product is available in a manually-operated or automatic version with the METRO, MOTO or SPARK drive unit, developed jointly by WIŚNIEWSKI and Somfy
- Lintel height of the UniPro SNP 2.0 garage door should be at least 90 mm (manual version)/100 mm (automatic version). The product is a perfect choice for stand-alone and attached garages, renovated or new.
- A special angle bar system enables garage door installation even in the case of a narrow side clearance with covers in the clear opening, ensuring an appealing look from the outside.
- As standard, the UniPro SNP 2.0 garage door is equipped with covers, always in the colour of the door leaf.



Looking for a garage door that will last for years? Then this is a great choice because one of the most important elements of the UniPro garage door – the extension spring system – was designed for 20,000 opening and closing cycles. Assuming four cycles per day, this means **up to 14 years of reliable operation.**

Side gasket + cover in the garage door colour for even better tightness and a sleek look.



Guide rails fastened to the opening frame, enabling adjustment on site.



Universal installation method with the option of cover installation in the opening.



An arrow at the height of 950 mm, facilitating precise installation of the structure.



Double installation fixing holes facilitating mounting on the wall.



Guiding rollers with bearings ensuring proper running of the garage door.



Automation solutions

Perfection in motion

An automatic garage door is the most functional solution for the home. A premium-class drive unit enhances the comfort of use of the garage, increases safety, and enables remote control from almost any place in the world.

Remember to commission crucial service work on your garage door with a drive unit only to trusted specialists, whose expertise will guarantee peace of mind for years to come.



Compare and choose a drive unit for your garage door

METRO Smart io


- Easy programming
- 4-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Optional additional lighting available
- Rail with a chain or belt
- Smart home – a wireless system
- EXTENDED CARE warranty – 5 years

MOTO io

- Easy programming
- 2-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Optional additional lighting available
- Rail with a chain or belt
- Smart home – a wireless system
- EXTENDED CARE warranty – 3 years

SPARK

- Easy and quick programming
- DART four-channel transmitter
- 2CH wall-mounted transmitter
- WIŚNIEWSKI 868 radio transmission
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Compatible with an electromagnetic motor lock
- Compatible with an emergency power supply battery
- Split rail with a fixed chain
- Smart home – a wired system
- EXTENDED CARE warranty – 5 years



PULSAR io 4-channel transmitter

METRO Smart io

A complete drive unit: packed with state-of-the-art solutions that will make your everyday life as safe and comfortable as possible. METRO Smart io combines all the best features – without compromise or limitations.

The drive unit was developed jointly by WIŚNIOWSKI and Somfy, a global leader in automation solutions and smart control systems.



PULSAR io 2-channel transmitter

MOTO io

The MOTO io – a result of collaboration between WIŚNIOWSKI and Somfy – combines the most important characteristics of a safe, functional, and reliable drive unit. As standard, it provides all the crucial features that you can expand thanks to our range of accessories.



DART 4-channel transmitter

SPARK

Yet another modern solution in our range of automatic operating units for garage doors.

It combines all the features of a state-of-the-art drive unit for garage doors – from easy programming and configuration to compatibility with wired smart home systems. It offers a number of control and safety solutions and makes it possible to optimally design a functional and practical garage.



868 MHz WIŚNIOWSKI
radio transmission



Automation solutions in a smart home system

Add a garage door with the METRO or MOTO drive unit to your smart home system and control it from almost any place in the world with the use of an app. Choose a state-of-the-art TaHoma Switch central control unit – and enter the world of comfort and safety.

LED lighting in the garage door structure. Even brighter.

Sometimes, the lighting installed in the garage does not provide as much light as needed. Occasionally, older garages do not have any lights on the ceiling or on the walls. In such situations, functional **LED lighting** mounted to the garage door structure, under the tracks and track connector, is the perfect choice.

The lighting is placed in black aluminium profiles – this elegant solution gives the interior more character. It can be adjusted and fixed to both new garage doors and those already in use. This way, garages in older buildings can also gain better lighting. LEDs **are energy-efficient and long-lasting** – it is a guarantee that **your electricity bills won't go up**. As standard, the lighting comes on as the garage door drive unit is activated, but it can also be controlled independently with a drive unit transmitter or the TaHoma app.



Accessories for automatic operating units for garage doors. Even more comfort



KEYPAD 2 code keypad

Enables drive unit control in the io-homecontrol technology.

The 2-channel code keypad makes it possible to control drive units and wireless receivers.



3CH wall-mounted transmitter

The 3-channel transmitter enables control of the drive units and wireless receivers.

Examples of use:

- - full opening/closing the door,
- - LED lighting under the tracks and/or track connector
- - top panel tilt.

Wireless communication makes it possible to install it in any place and doesn't require any cables.



Photocells

prevent uncontrolled door leaf movement when an obstacle is present within the clear passage.





Garage ventilation feature

A practical feature which makes it possible to air the garage without opening the entire door. The interior of the building is fully secure, as only the top panel is tilted.



Mechanical carriage lock

It prevents the garage door from being opened from the outside by unauthorized persons, e.g. by prising it open. It increases the safety of the garage and the entire house.



Backup power supply battery

It provides power for several cycles of emergency operation in case of a power outage: for instance, in order to drive out of or into the garage.

Other accessories



External io radio receiver

Lets you control the drive units using the Pulsar transmitter. It is a two-channel device where you can program as many as 16 transmitters.



2CH wall-mounted transmitter

This two-channel transmitter enables drive unit control with radio transmission. The device has a feedback function that informs the user about the position of the door using a LED.





WIŚNIOWSKI 868 radio receiver

A solution based on a two-way radio protocol which makes it possible to install and extend the control system without the need to drill holes in the wall. It is a perfect solution for modernization or renovation projects.

Up and over garage doors

a proven classic.



An economical solution



Perfect for stand-alone garages



In the most popular colours



Read more about up and over garage doors



Single- and double-leaf garage doors

quality at an affordable price.


Opening limiter – controls the movement of the garage door leaf and prevents it from being opened too wide.

Hinge limiter – prevents the leaf from being prised open.

Screwed joints – guarantee stability of the entire structure consisting of galvanized steel profiles.

Self-latching bolt – makes it easier to close the door.

Example designs of double-leaf garage doors



Thermal insulation* – expanded polystyrene finished with a PVC panel
* option

Simply proven,
simply good.

Double-leaf doors are the most economical closure system for a garage. Simple and proven solutions guarantee an affordable price and reliable operation.

- Frame elements made of galvanized steel profiles.
- High stability thanks to screwed joints.
- Durable panels infilling the leafs made of high-quality galvanized T10 steel sheet.
- Safeguard preventing the garage door from being prised open thanks to a reliable hinge lock.
- Opening limiter protecting the garage door leaf from being opened too wide.
- Support foot preventing the garage door from closing in an uncontrolled manner.
- Self-latching bolt facilitating closing.
- Various models, colours, and designs to choose from.
- Infill available in a vertical, horizontal or slanted orientation.
- Optionally available with thermal insulation.



An economical solution



Perfect for stand-alone garages



Read more about single- and double-leaf garage doors



Accessories and colour options

for sectional garage doors

4 structures. A detail highlighting the garage door design.




Woodgrain



Smoothgrain



Sandgrain



Silkline

5 rib designs. Classic or modern? Choose the style that suits you.



G - without ribs



W - high ribs



N - low ribs




V - V ribs



K - caisson ribs

Example decorative motifs and design options. Customize your garage door by taking advantage of all the available options.



Available colours:

Anthracite Sandgrain	Golden Oak Woodgrain	Walnut Woodgrain	Graphite RAL 7016 Woodgrain	Graphite RAL 7016 Silkline	Black RAL 9005 Silkline
Brown RAL 8014 Woodgrain	Silver RAL 9006 Woodgrain	Silver RAL 9006 Silkline	White RAL 9016 Woodgrain	White RAL 9016 Silkline	Golden Oak Smoothgrain
Walnut Smoothgrain	Anthracite Grey 701605-167 Smoothgrain	Cream White 137905-167 Smoothgrain	Dark Green 612505-167 Smoothgrain	Metbrush Silver F436-1002 Smoothgrain	Silbergrau 116700 Smoothgrain
White 915205-168 Smoothgrain	Chocolate Brown 887505-1167 Smoothgrain	Anthracite Quartz 436-1014 Smoothgrain	AnTEAK 3241002-195 Smoothgrain	Dark Oak 2052089-167 Smoothgrain	Swamp Oak 3167004-167 Smoothgrain
Summer Cherry 3214009-195 Smoothgrain	Macore 3162002-167 Smoothgrain	Oregon 1192001-167 Smoothgrain	Sapeli 2065021-167 Smoothgrain	Siena Noce 49237 PN Smoothgrain	Siena PL 49254-015 Smoothgrain
Siena Rosso 49233 PR Smoothgrain	Winchester 49240 XA Smoothgrain	Black Cherry 3202001-167 Smoothgrain	Natural Oak 3118076-1168 Smoothgrain	Douglas Fir 3152009-1167 Smoothgrain	Rustic Oak 3149008-167 Smoothgrain
Sheffield Oak Brown F 436-3087 Smoothgrain	Sheffield Oak Light F 456-3081 Smoothgrain	Sheffield Oak Grey F 436-3086 Smoothgrain	Brush Schwarzbraun F436-1023 Smoothgrain	Earl Platin 119500 Smoothgrain	Black Ulti-Mat PX47097 Smoothgrain
Woodec Turner Oak Malt F4703001 Smoothgrain	Woodec Sheffield Oak Alpine F4703002 Smoothgrain	Woodec Sheffield Oak Concrete F4703003 Smoothgrain	Umbragrau F436-6065 smoothgrain	Fenstergrau F436-6066 Smoothgrain	Cremeweiss F456-6001 smoothgrain
Anthrazitgrau F436-6003 Smoothgrain	Dark Grey Silk 4367003 Smoothgrain	Golden Oak 2178001-167 Smoothgrain	Walnut 2178007-167 Smoothgrain	Anthracite Quartz Mat F4701014 Smoothgrain	Woodec Turner Oak Toffee F4703004 Smoothgrain
Irish Oak 3211305-1148 Smoothgrain	Sable Noir 2100 Silkline	Sable Noir 2100 Woodgrain			



Scan and explore more colours and solutions for garage doors!



Find inspiration
and bring your dreams to life!







Side doors. Aluminium panel doors can be perfectly matched to garage doors. Their infill is the very panel used for manufacturing the sectional door leaf.



Home Inclusive.


A system created for harmony

The Home Inclusive system combines durability and high quality of WIŚNIEWSKI garage doors, gates, windows, doors, and fences with broad customization options. Looking for durable and beautiful solutions for your home? Good design and harmonious appearance of your property is important to you? **Choose from 16 refined colours with a unique metallic 3D structure, pick patterns and details, and make your dream about a perfect home become reality.**


Garage doors, gates, windows, doors, and fences in matching design

- Various design combinations
- 16 stunning colours
- Corrosion protection: hot-dip galvanizing and powder coating


HI EARTH




HI STONE



HI STEEL



HI RUBY



Extended Care

5

up to **5 years warranty**

The EXTENDED CARE warranty offers a unique possibility to extend the warranty on automatic sectional garage doors factory-configured with the METRO Smart io and SPARK (up to 5 years warranty) or MOTO (up to 3 years warranty) drive unit.



smartCONNECTED

Control your home and property from any place in the world. The smartCONNECTED system integrates WIŚNIEWSKI garage doors, gates, windows, doors, and fences. Set scenarios, open, close, check the status, and monitor – all that is possible with the TaHoma switch central control unit.



Find inspiration!



Discover our online catalogues

Where to buy



Scan the QR CODE
and **find a point of sale!**

<https://www.wisniowski.pl/en/distribution>

Perfection in every detail

WIŚNIEWSKI Sp. z o.o. S.K.A.

33-311 Wielogłowy, Poland

 /wisniowski_official

 /wisniowski.group

The products shown in the photographic material often feature special accessories and do not always correspond to their standard versions • This brochure does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in this brochure are for reference only • All rights reserved • Copying and use, in part or in full, is prohibited without the consent of WIŚNIEWSKI Sp. z o.o. S.K.A. • 06/24/EN

